Techni
ENGINEERING SOLUTIONS

CMK RANGE OVERVIEW

VUE D'ENSEMBLE
ÜBERBLICK
PANORAMICA
GAMA DE PRODUCTOS

February
2019

Contents

EUROPE

Citroen....4
Dacia....6
Daf....6
Fiat....8
Ford....10
Isuzu....12
Iveco....14
LDV....16
MAN....16
Mercedes Benz....18
Mitsubishi....22
Nissan....22
Opel....24
Peugeot....26
Renault....28
Vauxhall....30
Volkswagen....32
Volvo....32

NORTH AMERICA

RAM....34
Ford....34
Freightliner....34
General Motors....34
International....34
Isuzu....36
Mercedes Benz....36
Mitsubishi....36
Thomas....36

Techni
ENGINEERING SOLUTIONS

Make	Model	Part No.	Max Comp RPM	Technical notes	Euro 6	-AC	+AC	Fitting Time (Mins)	See Footnote	
CITROËN	Nemo HDi 75 1.3 (F13DTE5) 10.10>	0500.6792	3925	QP/TM13		✔		90	*	
	Berlingo 1.6 HDi (DV6) 01.07>04.08 Euro 4	0500.6772	5143	QP/TM13,15		✔		60		**
	Berlingo 1.6 HDi (DV6) 04.08>09.16 Euro 5	0500.6772	5109	QP/TM13,15		✔		60	*	
	Berlingo 1.6 eHDi (DV6) 01.12>10.18 Euro 5	0500.6542	4671	QP/TM15		✔		60	*	
	Berlingo 1.6 Blue HDi (DV6) 09.16>10.18 Euro 6	0500.8442	5109	QP/TM13,15	✔	✔		60	*	
Available : TBC	New Berlingo Blue Hdi 1.6 75/100 (DV6) 10.18> Euro 6	TBC	-	QP/TM13,15	✔	✔		-	*	
Available : TBC	New Berlingo Blue Hdi 1.5 130 (DV5) 10.18> Euro 6, Manual Gearbox	TBC	-	QP/TM13,15	✔	✔		-	*	
Available : TBC	New Berlingo Blue Hdi 1.5 130 (DV5) 10.18> Euro 6, EAT8 Auto Gearbox	TBC	-	-	✔	✔		-	*	
	Dispatch / Jumpy 1.6 HDi (DV6) 01.07>10.11 Euro 4	0500.6772	5109	QP/TM13,15		✔		60		**
	Dispatch / Jumpy 1.6 HDi (DV6C/D) 10.11> Euro 5	0500.6772	5109	QP/TM13,15		✔		60		**
	Dispatch / Jumpy 1.6 Blue HDi (DV6FDU/FCU) 09.16> Euro 6	0500.8442	5109	QP/TM13,15 Not suitable for TEG6 gearbox	✔	✔		60		**
	Dispatch / Jumpy 2.0 HDi (DW10) 01.07>01.12 Euro 4	0500.3642	5143	QP/TM13,15,16		✔		60		**
	Dispatch / Jumpy 2.0 HDi (DW10C) 12.11> Euro 5	0500.6452	4790	QP/TM13,15		✔		60	*	**
	Dispatch / Jumpy 2.0 HDi (DW10C) 12.11> Euro 5	0500.6522	4100	QP/TM13,15		✔		60	*	
	Dispatch / Jumpy 2.0 HDi (DW10) FE/FD/FC 09.16> Euro 6	0500.8482	4837	QP/TM15 Only for vehicles With Stop Start	✔	✔		60	*	**
	Dispatch / Jumpy 2.0 HDi (DW10) FE/FD/FC 09.16> Euro 6	0500.8492	4837	QP/TM15 Only for vehicles Without Stop Start	✔	✔		60	*	**
	Relay / Jumper 2.2 HDi (22DT) 07.06>11.11 Euro 4	0500.3672	4705	TM13,15 QP15		✔		90	*	**
	Relay / Jumper 2.2 HDi (Puma 4H6/HH/HJ) 11.11> Euro 5	0500.6432	4705	QP/TM13,15		✔		90	*	**
	Relay / Jumper 2.2 HDi (Puma 4H6/HH/HJ) 11.11> Euro 5	0500.7752	3500	QP/TM13,15,16 SD7H15			✔	120	*	
	Relay / Jumper 2.0 HDi (DW10FUE/D/C) (KW6/ KX6/KY6/ KXK/ KYK) 08.16> Euro 6	0500.8302	4970	QP/TM13,15	✔	✔		60	*	
	Relay / Jumper 2.0 HDi (DW10FUE/D/C) (KW6/ KX6/KY6/ KXK/ KYK) 08.16> Euro 6	0500.8322	3780	QP/TM13,15 SD7H15	✔		✔	360	*	**
	Relay / Jumper 2.0 HDi (DW10FUE/D/C) (KW6/ KX6/KY6/ KXK/ KYK) 08.16> Euro 6	0500.8532	4480	QP/TM13,15 SD7H15	✔		✔	360		**
	Relay/ Jumper 3.0L HDi (F1C) 08.14>Euro 5b+/EEV/6/CNG BI-Valent	0500.6962	4050	QP/TM13,15,16	✔		✔	150	*	

*Transport refrigeration applications: Compressor speed 134A < 5000 RPM MAX 407A, R410A, 452A < 4000 RPM MAX
**AC systems applications: Compressor speed 134A/1234YF <3500 RPM to > 5500 RPM MAX
***(AC compressor replaced by refrigeration compressor)

Techni
ENGINEERING SOLUTIONS

Make	Model	Part No.	Max Comp RPM	Technical notes	Euro 6	-AC	+AC	Fitting Time (Mins)	See Footnote	
DACIA	Dokker Van dCi 75/ dCi 90 K9K 612 05.13> Euro5/6	0500.6782	4800	QP/TM 15 Direct mount only	✔	✔		120	*	
	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-

Make	Model	Part No.	Max Comp RPM	Technical notes	Euro 6	-AC	+AC	Fitting Time (Mins)	See Footnote	
DAF A PACCAR COMPANY	LF45 4.5L (FR103, 118, 136, 152) 09.10>01.14 Euro 5 EEV	0500.8962	3800	QP/TM15,16		✔		30	*	**
	LF45 6.7L (GR165, 184) 09.10>01.14 Euro 5 EEV	0500.8912	3800	QP/TM15,16		✔		30	*	**
	LF55 4.5L (GR136, 152) 09.10>01.14 Euro 5 EEV	0500.8912	3800	QP/TM15,16		✔		30	*	**
	LF55 6.7L (GR165, 184, 210) 09.10>01.14 Euro 5 EEV	0500.8912	3800	QP/TM15,16		✔		30	*	**
	LF55 18T 6.7L (GR165, 184, 220) 09.10>01.14 Euro 5 EEV	0500.8912	3800	QP/TM15,16		✔		30	*	**
	CF65 6.7L (GR165, 184, 220) 09.10>01.14 Euro 5 EEV	0500.8912	3800	QP/TM15,16		✔		30	*	**
NEW	LF 150/170 City 3.8L (PACCAR PX-4)	0500.7302	3100	QP/TM15,16	✔	✔		60	*	
	LF Euro 6 - 152, 184, 213 ~ 4.5L (PACCAR PX-5) 01.14> Euro 6	0500.7302	3100	QP/TM15,16	✔	✔		60	*	
	LF Euro 6 - 230, 260, 295, 325 ~ 6.7L (PACCAR PX-7) 01.14> Euro 6	0500.7322	3800	QP/TM15,16	✔	✔		60	*	
	CF Euro 6 - 223, 260, 295, 325 ~ 6.7L (PACCAR PX-7) 01.14> Euro 6	0500.7322	3800	QP/TM15,16	✔	✔		30	*	
	LF45 4.5L (FR103, 118, 136, 152) 09.10>01.14 Euro 5 EEV	0500.6322	3280	QP/TM21		✔		120	*	**
	LF45 6.7L (GR165, 184) 09.10>01.14 Euro 5 EEV	0500.6322	3280	QP/TM21		✔		120	*	**
	LF55 4.5L (GR136, 152) 09.10>01.14 Euro 5 EEV	0500.6322	3280	QP/TM21		✔		120	*	**
	LF55 6.7L (GR165, 184, 210) 09.10>01.14 Euro 5 EEV	0500.6322	3280	QP/TM21		✔		120	*	**
	LF55 18T 6.7L (GR165, 184, 220) 09.10>01.14 Euro 5 EEV	0500.6322	3280	QP/TM21		✔		120	*	**
	CF65 6.7L (GR165, 184, 220) 09.10>01.14 Euro 5 EEV	0500.6322	3280	QP/TM21		✔		120	*	**
	LF Euro 6 - 152, 184, 213 ~ 4.5L (PACCAR PX-5) 01.14> Euro 6	0500.7312	3212	QP/TM21	✔	✔		120	*	
	LF Euro 6 - 230, 260, 295, 325 ~ 6.7L (PACCAR PX-7) 01.14> Euro 6	0500.7332	3280	QP/TM21	✔	✔		120	*	
	CF Euro 6 - 230, 260, 295, 325 ~ 6.7L (PACCAR PX-7) 01.14> Euro 6	0500.7332	3280	QP/TM21	✔	✔		120	*	

*Transport refrigeration applications: Compressor speed 134A < 5000 RPM MAX 407A, R410A, 452A < 4000 RPM MAX
**AC systems applications: Compressor speed 134A/1234YF <3500 RPM to > 5500 RPM MAX
***(AC compressor replaced by refrigeration compressor)

Compressor Mount Kit - CMK 9

Techni
ENGINEERING SOLUTIONS

Make	Model	Part No.	Max Comp RPM	Technical notes	Euro 6	-AC	+AC	Fitting Time (Mins)	See Footnote	
FIAT	Fiorino 1.3L Multijet II 16v (SDE 199A2000) 10.10> Euro 5	0500.6792	3925	QP/TM13		✔		90	*	
	New Doblò Cargo 1.3L Multijet II 16v (SDE 263A2000) 08.11>08.16 Euro 5	0500.6162	3925	QP/TM13		✔		60	*	
	New Doblò Cargo 1.3L Multijet II 16v (SD6225A2000/330A1000) 08.16> Euro 6	0500.8392	3925	QP/TM13	✔	✔		60	*	
	New Doblò Cargo 1.6L Multijet II 16v (SDE 198A3000) 08.11> 2015MY Euro 5	0500.6502	4125	QP/TM13,15		✔		60	*	
	New Doblò Cargo 1.6L Multijet II 16v (SDE 198A3000) 2015>08.16 Euro 5	0500.7662	4125	QP/TM13,15		✔		90	*	
	New Doblò Cargo 1.6L Multijet II 16v (SDE 263A8000/940C1000) 08.16> Euro 6	0500.8332	4125	QP/TM13	✔	✔		60	*	
	New Doblò Cargo 1.6L Multijet II 16v (SDE 198A3000) 08.11> 08.16 Euro 5 *RHD	0500.7782	3900	QP/TM13,15			✔	240	*	
	New Doblò Cargo 1.6L Multijet II 16v (SDE 198A3000) 08.11> 08.16 Euro 5 *LHD	0500.7292	3900	QP/TM13,15			✔	240	*	
	New Doblò Cargo 1.6L Multijet II 16v (SDE 263A8000105PS/940C1000120PS) 08.16> Euro 6 *LHD	0500.8362	3900	QP/TM13 (Independent belt run)	✔	✔		150	*	
Update: September 2018	New Doblò Cargo 1.6L Multijet II 16v (SDE 263A8000105PS/940C1000120PS) 08.16> Euro 6	0500.8752	3900	QP/TM13	✔		✔	300	*	
	Scudo 1.6 Multijet II 16v (DV6C/D) 07.10> Euro 5	0500.6772	5109	QP/TM13,15		✔		60	*	
	Scudo 2.0 Multijet II 16v (DW10C) 12.11> Euro 5	0500.6452	4790	QP/TM15		✔		60	*	**
	Scudo 2.0 Multijet II 16v (DW10C) 12.11> Euro 5	0500.6522	4100	QP/TM13,15		✔		60	*	
	Talento 1.6 Multijet 16V (R9M) 09.16> Euro 6 (Single and Twin Turbo)	0500.7612	3600	QP/TM13,15 With PTO (PTO option 8LM)	✔	✔	✔	40 & 60	*	
	Talento 1.6 Multijet 16V (R9M) 09.16> Euro 6 (Single and Twin Turbo)	0500.7622	3600	QP/TM13,15 Without PTO (PTO option 8LM)	✔	✔	✔	70 & 90	*	
	Talento 1.6 Multijet 16V (R9M) 09.16> Euro 6 (Single and Twin Turbo)	0500.7922	4600	QP/TM13,15 With or Without PTO (PTO option 8LM)	✔	✔		60	*	
	Ducato 2.3 Multijet II 16v (F1AE3481D/E/G) 06.11> 07.16 Euro 5	0500.6442	3000	QP/TM13,15,16, SD5H14, SD7H15		✔		60	*	
	Ducato 2.3 Multijet II 16v (F1AE3481D/E/G) 06.11>07.16 Euro 5	0500.6892	3780	QP/TM13,15,16		✔	✔	150	*	
	Ducato 2.3 Multijet II 16v (F1AGL411) 07.16> Euro 6	0500.8292	3000	QP/TM13,15,16, SD7H15	✔	✔		45	*	
	Ducato 2.3 Multijet II 16v (F1AGL411) 07.16> Euro 6	0500.8652	3780	QP/TM13,15,16	✔	✔	✔	150	*	
	Ducato 3.0 Multijet II 16v (F1C engine series) 06.11> Euro 5b+ / 6 / CNG Bi-Valent	0500.6962	4050	QP/TM13,15,16 SD7H15	✔		✔	150	*	

*Transport refrigeration applications: Compressor speed 134A < 5000 RPM MAX 407A, R410A, 452A < 4000 RPM MAX
**AC systems applications: Compressor speed 134A/1234YF <3500 RPM to > 5500 RPM MAX
***(AC compressor replaced by refrigeration compressor)

CMK 02.2019

Techni
ENGINEERING SOLUTIONS

Make	Model	Part No.	Max Comp RPM	Technical notes	Euro 6	-AC	+AC	Fitting Time (Mins)	See Footnote	
Ford	Transit Connect 1.8 DuraTorq TDCi (Endura DI) 10.11> Euro 5	0500.6412	4130/4720	QP/TM13,15,16 SD5H14/15		✔		30	*	**
	Transit Connect 1.6 DuraTorq TDCi (DV6) 01.14> Euro 5	0500.7282	4600	QP/TM13,15		✔		30	*	
	Transit Connect 1.5 DuraTorq TDCi (DV5) 07.16>05.18 Euro 6	0500.7282	4600	QP/TM13,15	✔	✔		30	*	
Available: November 2018	Transit Connect 1.5 TDCi EcoBlue (DV5) 05.18> Euro 6	0500.8972	4700	QP/TM13,15	✔	✔		60	*	
	Transit Custom 2.2 DuraTorq TDCi (ZSD-422 Puma) 11.12>04.14 Euro 5	0500.6822	4705	QP/TM13,15		✔		30	*	**
	Transit Custom 2.2 DuraTorq TDCi (ZSD-422 Puma) 11.12>04.14 Euro 5	0500.6832	4705	QP/TM13,15 Stretch Belt & Tool Included		✔		30	*	**
	Transit Custom 2.2 DuraTorq TDCi (ZSD-422 Puma) 04.14>07.16 Euro 5/6	0500.7452	4705	QP/TM13,15	✔	✔		30	*	**
	Transit Custom 2.2 DuraTorq TDCi (ZSD-422 Puma) 04.14>07.16 Euro 5/6	0500.7442	4705	QP/TM13,15 SD7H15 Stretch Belt & Tool Included	✔	✔		60	*	**
	Transit Custom 2.2 DuraTorq TDCi (ZSD-422 Puma) 04.14>07.16 Euro 5/6	0500.7712	3410	QP/TM13,15,16 Ford stretch belt Included	✔		✔	120	*	
	Transit Custom 2.0 Ecoblue TDCi (Panther) 2016> Euro 6	0500.8232	4560	QP/TM13,15 SD7H15	✔	✔		30	*	**
	Transit Custom 2.0 Ecoblue TDCi (Panther) 2016> Euro 6	0500.8242	4650	QP/TM08	✔	✔		30	*	**
	Transit Custom 2.0 Ecoblue TDCi (Panther) 2016> Euro 6	0500.8402	3700	QP/TM13,15,16	✔		✔	120	*	**
	Transit FWD 2.2 DuraTorq TDCi (ZSD-422 Puma) 11.11>04.14 Euro 5	0500.6402	4750	QP/TM13,15		✔		30	*	**
	Transit FWD 2.2 DuraTorq TDCi (ZSD-422 Puma) 11.11>04.14 Euro 5	0500.6572	4750	QP/TM13,15 Stretch Belt & Tool Included		✔		120	*	**
	Transit FWD 2.2 DuraTorq TDCi (ZSD-422 Puma) 04.14> 01.16 Euro 5	0500.7452	4750	QP/TM13,15 SD7H15	✔	✔		120	*	**
	Transit FWD 2.2 DuraTorq TDCi (ZSD-422 Puma) 04.14>01.16 Euro 5	0500.7442	4750	QP/TM13,15 SD7H15 Stretch Belt & Tool Included	✔	✔		120	*	**
	Transit FWD 2.2 DuraTorq TDCi (ZSD-422 Puma) 04.14>01.16 Euro 5	0500.7722	3410	QP/TM13,15,16 SD7H15 Ford stretch belt Included	✔		✔	120	*	
	Transit FWD 2.0 Ecoblue TDCi (Panther) 2016> Euro 6	0500.8232	4560	QP/TM13,15 SD7H15	✔	✔		30	*	**
	Transit FWD 2.0 Ecoblue TDCi (Panther) 2016> Euro 6	0500.8242	4650	QP/TM08	✔	✔		30	*	**
	Transit FWD 2.0 Ecoblue TDCi (Panther) 2016> Euro 6	0500.8412	3700	QP/TM13,15,16	✔		✔	120	*	**
	Transit RWD 2.2 DuraTorq TDCi (ZSD-424 Puma) 11.11>04.14 Euro 4/5	0500.6392	3500	QP/TM13,15,16, SD5H14, SD7H15		✔		120	*	**
	Transit RWD 2.2 DuraTorq TDCi (ZSD-424 Puma) 04.14> Euro 5/6	0500.7412	3500	QP/TM13,15,16, SD5H14, SD7H15	✔	✔		120	*	
	Transit RWD 2.2 DuraTorq TDCi (ZSD-424 Puma) 04.14> Euro 5/6	0500.7362	3500	QP/TM13,15,16, SD7H15, SP15	✔		✔	120	*	
	Transit RWD 2.2 DuraTorq TDCi (ZSD-424 Puma) 04.14> Euro 5/6	0500.7372	4700	QP/TM13,15,16, SD7H15, SP15	✔		✔	120	*	**
	Transit RWD 2.2 DuraTorq TDCi (ZSD-424 Puma) 04.14> Euro 5b+/6	0500.8102	3500	QP-08 Compressor only	✔	✔	✔	120	*	
	Transit RWD 2.0 Ecoblue TDCi (Panther) 2016> Euro 6	0500.8192	4650	QP/TM13,15 SD7H15	✔	✔		30	*	**
	Transit RWD 2.0 Ecoblue TDCi (Panther) 2016> Euro 6	0500.8212	3700	QP/TM13,15, 16 SD7H15, SP15	✔	✔	✔	150	*	**
	Transit AWD 2.0 Ecoblue TDCi (Panther) 2016> Euro 6	0500.8192	4650	QP/TM13,15 SD7H15	✔	✔		30	*	**

*Transport refrigeration applications: Compressor speed 134A < 5000 RPM MAX 407A, R410A, 452A < 4000 RPM MAX
**AC systems applications: Compressor speed 134A/1234YF <3500 RPM to > 5500 RPM MAX
***(AC compressor replaced by refrigeration compressor)

Techni
ENGINEERING SOLUTIONS

Make	Model	Part No.	Max Comp RPM	Technical notes	Euro 6	-AC	+AC	Fitting Time (Mins)	See Footnote	
ISUZU	Izuzu NLR/87E/N35.125 M21 (K24E) 1.9 DCI 2017>	0500.8712	3496	QP/TM 13, 15,16	✔	✔	✔	60	*	**
	Isuzu N75.150 4JJ1 E6 - 3.0L 04.14>	0500.7472	3007	QP/TM13,15,16, SD7H15	✔	✔		45	*	**
	Isuzu N75.150 4JJ1 E6 - 3.0L 04.14>	0500.7482	2799	QP/TM21	✔	✔		45	*	**
	Isuzu NPR/ N75.190 4HK1 E6 - 5.2L 04.14>	0500.7792	3408	QP/TM13,15,16, SD7H15	✔	✔		60	*	**
	Isuzu NPR/ N75.190 4HK1 E6 - 5.2L 04.14>	0500.7802	3177	QP/TM21	✔	✔		45	*	**
	Isuzu F110.210 4HK1 E6 5.2L 04.14>	0500.7562	3360	QP/TM15,16	✔	✔		45	*	**
	Isuzu F110.210 4HK1 E6 5.2L 2015MY>	0500.8072	3360	QP/TM15,16	✔	✔		60	*	**

*Transport refrigeration applications: Compressor speed 134A < 5000 RPM MAX 407A, R410A, 452A < 4000 RPM MAX
**AC systems applications: Compressor speed 134A/1234YF <3500 RPM to > 5500 RPM MAX
***(AC compressor replaced by refrigeration compressor)

Compressor Mount Kit - CMK 15

Techni
ENGINEERING SOLUTIONS

Make	Model	Part No.	Max Comp RPM	Technical notes	Euro 6	-AC	+AC	Fitting Time (Mins)	See Footnote	
IVECO	Daily 2.3 Multijet II 16v (F1AE0481A/B/C) 10.11> Euro 5 & Euro 5b+	0500.6842	3564	QP/TM13,15,16		✔		45	*	
	Daily 2.3 Multijet II 16v (F1AGL411H/J/G) (F1AE0481A/B/C) 10.11> Euro 5 & Euro 5b+/E6	0500.6942	3900	QP/TM13,15,16, SD7H15, SP15	✔		✔	180	*	
	Daily 2.3 Multijet II 16v (F1AGL411H/J/G) MY2017 Euro 6	0500.8452	3861/3564	QP/TM13,15,16	✔	✔		45	*	*
	Daily 3.0 Common Rail (F1CE3481J/K) 10.11>01.12 Euro 5 / EEV	0500.6312	4823	QP/TM13,15,16		✔	✔	120	*	**
	Daily 3.0 Common Rail (F1CE3481J/K) 01.12>10.14 Euro 5 / EEV	0500.6742	4823	QP/TM13,15,16		✔	✔	120	*	**
	Daily 3.0 Common Rail (F1CE3481J/K) 01.12>10.14 Euro 5 / EEV	0500.7002	4100	QP/TM21, Separate drive belt		✔		120	*	
	Daily 3.0 Common Rail (F1CE3481J/K) 01.12>10.14 Euro 5 / EEV	0500.7052	4600	SP20, Separate drive belt		✔		75	*	**
	Daily 3.0 Common Rail (F1CE3481J/K) 01.12>10.14 Euro 5 / EEV	0500.7062	4700	QP/TM13,15,16, Separate drive belt		✔		75	*	**
	Daily 3.0 Common Rail (F1CE3481J/K) 01.12>10.14 Euro 5 / EEV	0500.7072	2810	QP/TM21, Separate drive belt		✔	✔	240	*	
	Daily 3.0 Common Rail (F1CE3481J/K) 01.12>10.14 Euro 5 / EEV	0500.7092	3235	QP/TM13,15,16, Separate drive belt		✔	✔	240	*	
	Daily 3.0 Common Rail (F1CE3481J/K) 01.12>10.14 Euro 5 / EEV	0500.7102	4100	QP/TM21, Separate drive belt		✔	✔	240	*	**
	Daily 3.0 Common Rail (F1CE3481J/K) 01.12>10.14 Euro 5 / EEV	0500.7112	4600	SP20, Separate drive belt		✔	✔	240	*	**
	Daily 3.0 Common Rail (F1CE3481J/K) 01.12>10.14 Euro 5 / EEV	0500.7122	4700	QP/TM13,15,16, Separate drive belt		✔	✔	240	*	**
	Daily 3.0 Common Rail (F1CFA401A*A CNG) 10.14> Euro 5b+ / EEV / Euro 6	0500.6742	4823	QP/TM13,15,16	✔	✔	✔	120	*	**
	Daily 3.0 Common Rail (F1CFA401A*A CNG) 10.14> Euro 5b+ / EEV / Euro 6	0500.7002	4100	QP/TM21, Separate drive belt	✔	✔		120	*	**
	Daily 3.0 Common Rail (F1CFA401A*A CNG) 10.14> Euro 5b+ / EEV / Euro 6	0500.7052	4600	SP20, Separate drive belt	✔	✔		75	*	**
	Daily 3.0 Common Rail (F1CFA401A*A CNG) 10.14> Euro 5b+ / EEV / Euro 6	0500.7062	4700	QP/TM13,15,16 / SD7H15 / SP15, Separate drive belt	✔	✔		75	*	**
	Daily 3.0 Common Rail (F1CFA401A*A CNG) 10.14> Euro 5b+ / EEV / Euro 6	0500.7072	2810	QP/TM21, Separate drive belt	✔	✔	✔	240	*	
	Daily 3.0 Common Rail (F1CFA401A*A CNG) 10.14> Euro 5b+ / EEV / Euro 6	0500.7092	3235	QP/TM13,15,16 / SD7H15, Separate drive belt	✔	✔	✔	240	*	
	Daily 3.0 Common Rail (F1CFA401A*A CNG) 10.14> Euro 5b+ / EEV / Euro 6	0500.7102	4100	QP/TM21, Separate drive belt	✔	✔	✔	240	*	
	Daily 3.0 Common Rail (F1CFA401A*A CNG) 10.14> Euro 5b+ / EEV / Euro 6	0500.7112	4600	SP20, Separate drive belt	✔	✔	✔	240	*	**
	Daily 3.0 Common Rail (F1CFA401A*A CNG) 10.14> Euro 5b+ / EEV / E6	0500.7122	4700	QP/TM13,15,16, SD7H15 SP15, Separate drive belt	✔	✔	✔	240	*	**
	EuroCargo Tector 5 (4.5L) 04.14> Euro 6	0500.7682	4080	QP/TM13/15/16	✔	✔		45	*	
	EuroCargo Tector 5 (4.5L) 04.14> Euro 6	0500.7692	3547	QP/TM21	✔	✔		45	*	
	EuroCargo Tector 7 (6.7L) 04.14> Euro 6	0500.7962	4080	QP/TM13/15/16	✔	✔		45	*	
	EuroCargo Tector 7 (6.7L) 04.14> Euro 6	0500.7972	3547	QP/TM21	✔	✔		45	*	

*Transport refrigeration applications: Compressor speed 134A < 5000 RPM MAX 407A, R410A, 452A < 4000 RPM MAX
**AC systems applications: Compressor speed 134A/1234YF <3500 RPM to > 5500 RPM MAX
***(AC compressor replaced by refrigeration compressor)

CMK 02.2019

Techni
ENGINEERING SOLUTIONS

Make	Model	Part No.	Max Comp RPM	Technical notes	Euro 6	-AC	+AC	Fitting Time (Mins)	See Footnote	
LDV	SAIC LDV Maxus V80 2.5L 2015>	0500.8182	5380	QP/TM15*** Direct mount, panel van only	✔	✔	✔	60	*	**
	-	-	-	-				-		

Make	Model	Part No.	Max Comp RPM	Technical notes	Euro 6	-AC	+AC	Fitting Time (Mins)	See Footnote	
MAN	TGE FWD 2.0 TDI 2017> Euro 6 75kw/102ps, 90kw/122ps, 103kw/140ps, 130kw /177ps	0500.8562	3800	QP/TM15 Direct mount	✔	✔		45	*	**
	TGE FWD 2.0 TDI 2017> Euro 6 75kw/102ps, 90kw/122ps, 103kw/140ps, 130kw /177ps	0500.8552	3800	QP/TM15 Direct mount***	✔		✔	45	*	**
	TGE FWD 2.0 TDI 2017> Euro 6 75kw/102ps, 90kw/122ps, 103kw/140ps, 130kw /177ps	0500.8662	3800/4200	QP/TM13,15,16, SD7H15	✔	✔		45	*	**
	TGE FWD 2.0 TDI 2017> Euro 6 75kw/102ps, 90kw/122ps, 103kw/140ps, 130kw /177ps	0500.8572	3588/3690	QP/TM13,15,16, SD7H15	✔		✔	180	*	**
	TGE RWD 2.0 TDI 2017> Euro 6 75kw/102ps, 90kw/122ps, 103kw/140ps, 130kw /177ps	0500.8672	3800/4200	QP/TM13,15,16, SD7H15	✔	✔		60	*	**
Available: March 2019	TGE RWD 2.0 TDI 2017> Euro 6 75kw/102ps, 90kw/122ps, 103kw/140ps, 130kw /177ps	0500.8862	3690	QP/TM13,15,16, SD7H15	✔		✔	90	*	**
Available: March 2019	TGE RWD 2.0 TDI 2017> Euro 6 75kw/102ps, 90kw/122ps, 103kw/140ps, 130kw /177ps	0500.8872	4613	QP/TM13,15,16, SD7H15	✔		✔	90	*	**
Available: March 2019	TGE RWD 2.0 TDI 2017> Euro 6 75kW/102ps, 90kW/122ps, 103kW/140ps, 130kW/177ps	0500.8982	4036	QP/TM21	✔	✔	✔	90	*	**

*Transport refrigeration applications: Compressor speed 134A < 5000 RPM MAX 407A, R410A, 452A < 4000 RPM MAX
**AC systems applications: Compressor speed 134A/1234YF <3500 RPM to > 5500 RPM MAX
***(AC compressor replaced by refrigeration compressor)

Techni
ENGINEERING SOLUTIONS

Make	Model	Part No.	Max Comp RPM	Technical notes	Euro 6	-AC	+AC	Fitting Time (Mins)	See Footnote	
Mercedes-Benz	Citan 1.5 CDI (OM607 DE15LA) 01.13> Euro 5 / 6	0500.6992	4800	QP/TM15 Direct		✔		120	*	
	Vito 2.2 CDI (OM646) 09.06>11.10 Euro 4	0500.3812	4449	TM15,16, SD5H14, SD7H15		✔		60	*	**
	Vito 2.1 CDI (OM651) 11.10> Euro 5	0500.8932	4726	QP/TM13,15,16, SD5H14, SD7H15		✔		40	*	**
	New Vito (W447) FWD 1.6 CDI OM622 04.14>	0500.7892	4440	QP/TM13,15,16, SD5H14, SD7H15	✔	✔		40	*	
	New Vito (W447) FWD 1.6 CDI OM622 04.14>	0500.7992	4820	QP/TM13/15 SD7H15***	✔		✔	60	*	
	New Vito (W447) RWD 2.1 CDI OM651 04.14>	0500.7902	4450	QP/TM13/15 SD7H15 Manual Gearbox only	✔	✔		60	*	
	New Vito (W447) RWD 2.1 CDI OM651 04.14>	0500.8062	4695	QP/TM13,15 7G Tronic Gearbox	✔	✔		60	*	
	New Vito (W447) RWD 2.1 CDI OM651 04.14> Type A Crank Pulley A6510351612 /812/912	0500.8172	3650	QP/TM13,15 7G Tronic Gearbox	✔	✔	✔	360	*	
	New Vito (W447) RWD 2.1 CDI OM651 04.14> Type A Crank Pulley A6510351612 /812/912	0500.7912	3650	QP/TM13,15 Manual Gearbox only	✔	✔	✔	360	*	
	New Vito (W447) RWD 2.1 CDI OM651 04.14> Type B Crank Pulley A6510352912	0500.8252	3650	QP/TM13,15 Manual & 7G Tronic Gearbox	✔	✔	✔	360	*	**
	Sprinter (906) Euro 4, 05.06>10.09, 2.2 CDI (OM646) - Without N63	0500.3312	4449	QP/TM13,15,16, SD5H14, SD7H15,		✔		40	*	**
	Sprinter (906) Euro 4, 05.06>10.09, 2.2 CDI (OM646) - Without N63	0500.3322	3074	TM13,15,16		✔		40	*	
	Sprinter (906) Euro 5, 10.09>10.13, 2.1 CDI (OM651) - Without N63	0500.4022	4695	QP/TM13,15,16, SD5H14, SD7H15		✔		45	*	**
	Sprinter (906) Euro 5, 10.09>10.13, 2.1 CDI (OM651) - Without N63	0500.4062	3560	QP/TM13,15,16		✔		45	*	
	Sprinter (906) Euro 5, 10.09>10.13, 2.1 CDI (OM651) - With N63	0500.6082	4695	QP/TM13,15,16, With N63		✔	✔	30	*	**
	Sprinter (906) Euro 5, 10.09>10.13, 2.1 CDI (OM651) - With N63	0500.6072	3560	QP/TM13,15,16, With N63		✔	✔	30	*	
	Sprinter (906) Euro 5, 10.09>10.13, 2.1 CDI (OM651) - Without N63 (Crank Pulley - Type A)	0500.9052	4695	QP/TM13,15,16, Crank Locking Tool Not Included		✔	✔	120	*	**
	Sprinter (906) Euro 5, 10.09>10.13, 2.1 CDI (OM651) - Without N63 (Crank Pulley - Type A)	0500.9062	3560	QP/TM13,15,16, Crank Locking Tool Not Included		✔	✔	120	*	
	Sprinter (906) Euro 5b+/6, 10.13>04.18, 2.1 CDI (OM651) - With N63	0500.8542	4695	QP/TM13,15,16	✔	✔	✔	30	*	**
	Sprinter (906) Euro 5b+/6, 10.13>04.18, 2.1 CDI (OM651) - With N63	0500.8722	3560	QP/TM13,15,16	✔	✔	✔	30	*	**
	Sprinter (906) Euro 5b+/6, 10.13>04.18, 2.1 CDI (OM651) - With N63	0500.7732	4695	QP/TM13,15,16, SD7H15	✔	✔	✔	30	*	**
	Sprinter (906) Euro 5b+/6, 10.13>04.18, 2.1 CDI (OM651) (Crank Pulley - Type A) - Without N63	0500.9052	4695	QP/TM13,15,16, SD7H15, Crank Locking Tool Not included	✔	✔	✔	120	*	**
	Sprinter (906) Euro 5b+/6, 10.13>04.18, 2.1 CDI (OM651) (Crank Pulley - Type A) - Without N63	0500.9062	3580	QP/TM13,15,16, Crank Locking Tool Not Included	✔	✔	✔	120	*	
	Sprinter (906) Euro 5b+/6, 10.13>04.18, 2.1 CDI (OM651+Stop/Start) (Crank Pulley - Type B) - Without N63	0500.8642	4695	QP/TM13,15,16, SD7H15, Crank Locking Tool Not included	✔	✔	✔	120	*	
	Sprinter (906) Euro 5b+/6, 10.13>04.18, 2.1 CDI (OM651+Stop/Start) (Crank Pulley - Type B) - Without N63	0500.8632	3560	QP/TM13,15,16, Crank Locking Tool Included	✔	✔	✔	120	*	**

Sprinter 906 = 2006 - 2018 RWD
Sprinter 907 = 2018 + RWD
Sprinter 910 = 2018 + FWD

*Transport refrigeration applications: Compressor speed 134A < 5000 RPM MAX 407A, R410A, 452A < 4000 RPM MAX
**AC systems applications: Compressor speed 134A/1234YF <3500 RPM to > 5500 RPM MAX
***(AC compressor replaced by refrigeration compressor)

Compressor Mount Kit - CMK 21

Techni
ENGINEERING SOLUTIONS

Make	Model	Part No.	Max Comp RPM	Technical notes	Euro 6	-AC	+AC	Fitting Time (Mins)	See Footnote	
Mercedes-Benz	Sprinter (907) RWD 2.1 CDI (OM651) 04.18> - Without N63	0500.8952	4695	QP/TM13,15,16, SD5H14, SD7H15	✔	✔		40	*	
	Sprinter (907) RWD 2.1 CDI (OM651) 04.18> - With N63	0500.8542	4695	QP/TM13,15,16	✔	✔	✔	30	*	**
	Sprinter (907) RWD 2.1 CDI (OM651) 04.18> - With N63	0500.8722	3560	QP/TM13,15,16	✔	✔	✔	30	*	**
	Sprinter (907) RWD 2.1 CDI (OM651) 04.18> - With N63	0500.7732	4695	QP/TM13,15,16, SD7H15	✔	✔	✔	30	*	**
	Sprinter (907) RWD 2.1 CDI (OM651) 04.18> - Without N63	0500.8642	4695	QP/TM13,15,16, SD7H15, Crank Locking Tool Included	✔	✔	✔	120	*	
	Sprinter (907) RWD 2.1 CDI (OM651) 04.18> - Without N63	0500.8632	3396	QP/TM13,15,16, Crank Locking Tool Included	✔	✔	✔	120	*	**
	Sprinter (910) FWD 2.1 CDI (OM651) 04.18> - Without N63	0500.8842	5013	QP/TM13,15,16	✔	✔		60	*	**
	Sprinter (910) FWD 2.1 CDI (OM651) 04.18> - Without N63	0500.8852	3824	QP/TM13,15,16,	✔	✔		60	*	
Available : March 2019	Sprinter (910) FWD 2.1 CDI (OM651) 04.18> - Without N63	0500.8882	TBA	QP/TM13,15,16, Crank Locking Tool Included	✔	✔	✔	180	*	**
Available : March 2019	Sprinter (910) FWD 2.1 CDI (OM651) 04.18> - Without N63	0500.8892	TBA	QP/TM13,15,16, Crank Locking Tool Included	✔	✔	✔	180	*	
	Sprinter 3.0 V6 CDI (906/907) (OM642) Euro 4 06.06>08.09 - With N63	0500.3682	4662	QP/TM13,15,16		✔	✔	60	*	**
	Sprinter 3.0 V6 CDI (906/907) (OM642) Euro 5/6 08.09> - With N63	0500.6422	4695	QP/TM15	✔	✔		60	*	**
	Sprinter 3.0 V6 CDI (906/907) (OM642) Euro 5/6 08.09> - Without N63	0500.6952	4695	QP/TM13,15,16	✔	✔	✔	45	*	
	Sprinter 3.0 V6 CDI (906/907) (OM642) Euro 5/6 08.09> - With N63	0500.6802	4662	QP/TM13,15,16	✔	✔	✔	40	*	
	Sprinter 3.0 V6 CDI (906/907) (OM642) Euro 5/6 08.09> - With N63	0500.7702	4695	SD7H15	✔	✔	✔	40	*	
	Sprinter 3.0 V6 CDI (906/907) (OM642) Euro 5/6 08.09> - Without N63	0500.8082	4695	QP/TM13,15,16 SD7H15 (Manual tensioner)	✔	✔	✔	40	*	
	New Atego 5.1 BlueTEC (OM934) 01.14> Euro 6	0500.7192	3450	QP/TM13,15,16	✔	✔	✔	90	*	
	New Atego 5.1 BlueTEC (OM934) 01.14> Euro 6	0500.7202	3075	QP/TM21	✔	✔	✔	90	*	
	New Atego 7.7 BlueTEC (OM936) 01.14> Euro 6	0500.7212	3450	QP/TM13,15,16	✔	✔	✔	90	*	
	New Atego 7.7 BlueTEC (OM936) 01.14> Euro 6	0500.7222	3075	QP/TM21	✔	✔	✔	90	*	
	New Antos 7.7 BlueTEC (OM936) 01.14> Euro 6	0500.7582	3450	QP/TM13,15,16	✔	✔	✔	90	*	
	New Antos 7.7 BlueTEC (OM936) 01.14> Euro 6	0500.7592	3075	QP/TM21	✔	✔	✔	90	*	

Sprinter 906 = 2006 - 2018 RWD
Sprinter 907 = 2018 + RWD
Sprinter 910 = 2018 + FWD

*Transport refrigeration applications: Compressor speed 134A < 5000 RPM MAX 407A, R410A, 452A < 4000 RPM MAX
**AC systems applications: Compressor speed 134A/1234YF <3500 RPM to > 5500 RPM MAX
***(AC compressor replaced by refrigeration compressor)

CMK 02.2019

Techni
ENGINEERING SOLUTIONS

Make	Model	Part No.	Max Comp RPM	Technical notes	Euro 6	-AC	+AC	Fitting Time (Mins)	See Footnote	
MITSUBISHI FUSO	Canter TF 3.0 (4P10-T4/T6) 2012> Euro 5 / 6	0500.7022	4520	QP/TM16 Direct - 12V	✔	✔		30	*	
	Canter TF 3.0 (4P10-T4/T6) 2012> Euro 5 / 6	0500.7252	4520	QP/TM16 Direct - 24V	✔	✔		30	*	
	Canter TF 3.0 (4P10-T4/T6) 2012> Euro 5 / 6	0500.7262	4393	QP/TM21 Direct - 12V	✔	✔		30	*	
	Canter TF 3.0 (4P10-T4/T6) 2012> Euro 5 / 6	0500.7042	4393	QP/TM21 Direct - 24V	✔	✔		30	*	
NISSAN	NV200 1.5 dCi (K9K) 2012> Euro 5 / 6	0500.6782	4800	QP/TM15 Direct	✔	✔		120	*	
	Primastar 2.0 dCi (M9R 115) 10.09> Euro 5	0500.6492	4441	QP/TM13,15		✔		45	*	
	Primastar 2.5 dCi (G9U 630) 07.06>10.09 Euro 4	0500.3802	4350	QP/TM13,15,16. Must have factory PTO		✔		30	*	**
	Interstar 2.5 dCi (G9U 650, 632) 09.06>04.10 Euro 4	0500.3542	4350	QP/TM13,15,16 With PTO		✔		60	*	**
	NV300 1.6 CDTI (R9M 408/450) (+PTO) 10.14> Euro 5b+ / 6	0500.7612	3600	QP/TM13/15	✔	✔	✔	60	*	
	NV300 1.6 CDTI 16v (R9M) 10.14> Euro 5b+ / Euro 5b+ / 6	0500.7622	3600	QP/TM13,15 Without PTO	✔	✔	✔	70 & 90	*	
	NV300 1.6 CDTI (R9M 408/450) +/-PTO) 10.14> Euro 5b+ / 6	0500.7922	4600	QP/TM13/15, With & Without PTO	✔	✔		60	*	
	NV400 FWD 2.3 dCi (M9T 100, 125, 150) 06.10>10.14 Euro 5	0500.4372	4441	QP/TM13,15, With PTO		✔		45	*	
	NV400 FWD 2.3 dCi (M9T 100, 125, 150) 06.10>10.14 Euro 5	0500.6902	3200	QP/TM13,15,16 With & Without PTO		✔	✔	60	*	
	NV400 FWD 2.3 dCi (M9T 100, 125, 150) 06.10>10.14 Euro 5	0500.7132	4200	QP/TM13,15,16 With & Without PTO		✔	✔	60	*	**
	NV400 FWD 2.3 dCi (M9T 110, 125) 10.14> 09.16 Euro 5b+ (Single Turbo)	0500.4372	4441	QP/TM13,15 With PTO		✔		45	*	
	NV400 FWD 2.3 dCi (M9T 110, 125) 10.14> 09.16 Euro 5b+ (Single Turbo)	0500.6902	3200	QP/TM13,15,16 With & Without PTO		✔	✔	60	*	
	NV400 FWD 2.3 dCi (M9T 110, 125) 10.14> 09.16 Euro 5b+ (Single Turbo)	0500.7132	4200	QP/TM13,15,16 With & Without PTO		✔	✔	60	*	**
	NV400 FWD 2.3 dCi (M9T 135, 165) 10.14> 09.16 Euro 5b+ (Single Turbo)	0500.7632	4441	QP/TM13,15 Without PTO		✔		60	*	
	NV400 FWD 2.3 dCi (M9T 110, 130, 145, 165, 170) 09.16> Euro 6	0500.7642	4441	QP/TM13,15	✔	✔		60	*	
	NV400 FWD 2.3 dCi (M9T 110, 130, 145, 165, 170) 09.16> Euro 6 (Single & Bi-Turbo)	0500.7932	3200	QP/TM13,15	✔	✔	✔	120	*	
	NV400 FWD 2.3 dCi (M9T 110, 130, 145, 165, 170) 09.16> Euro 6 (Single & Bi -Turbo)	0500.7942	4200	QP/TM13,15	✔	✔	✔	120	*	
	NV400 RWD 2.3 dCi (M9T 125, 135, 165) 10.14> Euro 5b+ / E6	0500.7652	4200	QP/TM13,15,16 Without PTO	✔	✔	✔	60	*	**
	NV400 RWD 2.3 dCi (M9T 125, 135, 165) 10.14> Euro 5b+ / E6	0500.7512	3200	QP/TM13,15,16 Without PTO	✔	✔	✔	60	*	

*Transport refrigeration applications: Compressor speed 134A < 5000 RPM MAX 407A, R410A, 452A < 4000 RPM MAX
**AC systems applications: Compressor speed 134A/1234YF <3500 RPM to > 5500 RPM MAX
***(AC compressor replaced by refrigeration compressor)

Techni
ENGINEERING SOLUTIONS

Make	Model	Part No.	Max Comp RPM	Technical notes	Euro 6	-AC	+AC	Fitting Time (Mins)	See Footnote	
	Combo 1.3L CDTi 16v (SDE 263A2000) 08.11> Euro 5	0500.6162	3925	QP/TM13		✔		60	*	
	Combo 1.3L Multijet II 16v (SDE 330A1000) 08.16> Euro 6	0500.8392	3425	QP/TM13	✔	✔		60	*	
	Combo 1.6L CDTi 16v (SDE 198A3000) 08.11> 2015MY Euro 5	0500.6502	4125	QP/TM13,15		✔		60	*	
	Combo 1.6L CDTi 16v (SDE 198A3000) 2015> Euro 5 / Euro 6	0500.7662	4125	QP/TM13,15	✔	✔		60	*	
	Combo 1.6L Multijet II 16v (SDE 263A8000) 08.16> Euro 6	0500.8332	4125	QP/TM13	✔	✔		60	*	
	Combo 1.6L CDTi 16v (SDE STET) 08.11>2015MY Euro 5 *RHD ONLY	0500.7782	3900	QP/TM13,15			✔	240	*	
	Combo 1.6L CDTi 16v (SDE 198A3000) 08.11> Euro 5 *LHD ONLY	0500.7292	3900	QP/TM13,15			✔	240	*	
	Combo 1.6L Multijet II 16v (SDE 263A8000) 08.16> Euro 6 *LHD ONLY	0500.8362	3900	QP/TM13,15 (Independent belt run)	✔	✔		150	*	
	Combo 1.6L Multijet II 16v (SDE 263A8000) 08.16> Euro 6	0500.8752	3900	QP/TM13,15	✔		✔	300	*	
Available : TBC	New Combo Turbo D 1.6 75/100 (DV6) 10.18> Euro 6	TBC	-	QP/TM13,15	✔	✔		-	*	
Available : TBC	New Combo BlueInjection 1.5 130 (DV5) 10.18> Euro 6, Manual Gearbox	TBC	-	QP/TM13,15	✔	✔		-	*	
Available : TBC	New Combo BlueInjection 1.5 130 (DV5) 10.18> Euro 6, EAT8 Auto Gearbox	TBC	-	-	✔	✔		-	*	
	New Vivaro 1.6 CDTI (R9M 408/450) (+PTO) 10.14> Euro 5b+ / E6	0500.7612	3600	QP/TM13/15 With PTO	✔	✔	✔	60	*	
	New Vivaro 1.6 CDTI (R9M 408/450) (-PTO) 10.14> Euro 5b+ / E6	0500.7622	3600	QP/TM13/15 Without PTO	✔	✔	✔	90 & 70	*	
	New Vivaro 1.6 CDTI (R9M 408/450) (+/-PTO) 10.14> Euro 5b+ / E6	0500.7922	4600	QP/TM13/15 With or Without PTO	✔	✔		60	*	**
	Vivaro 2.0 CDTi (M9R 115) 10.09> Euro 5	0500.6492	4441	QP/TM13,15		✔		45	*	
	Vivaro 2.5 CDTi (G9U 630) 07.06>10.09 Euro 4	0500.3802	4350	QP/TM13,15,16		✔		30	*	**
	Movano FWD 2.3 CDTi (M9T 100, 125, 146) 06.10>10.14 Euro 5	0500.4372	4441	QP/TM13, 15 With PTO		✔		45	*	
	Movano FWD 2.3 CDTi (M9T 100, 125, 146) 06.10>10.14 Euro 5	0500.6902	3200	QP/TM13,15, 16, SD5H14, SD7H15, SP15 With & Without PTO		✔	✔	60	*	
	Movano FWD 2.3 CDTi (M9T 100, 125, 146) 06.10>10.14 Euro 5	0500.7132	4200	QP/TM13,15, 16, SD5H14, SD7H15, SP15 With & Without PTO		✔	✔	60	*	**
	Movano FWD 2.3 CDTi (M9T 110, 125) 10.14> Euro 5b+ (Single Turbo)	0500.4372	4441	QP/TM13, 15 With PTO		✔		45	*	
	Movano FWD 2.3 CDTi (M9T 110, 125) 10.14> Euro 5b+ (Single Turbo)	0500.6902	3200	QP/TM13,15, 16, SD5H14, SD7H15, SP15 With/Without PTO		✔	✔	60	*	
	Movano FWD 2.3 CDTi (M9T 110, 125) 10.14> Euro 5b+ (Single Turbo)	0500.7132	4200	QP/TM13,15, 16, SD5H14, SD7H15, SP15 With/Without PTO		✔	✔	60	*	**
	Movano FWD 2.3 CDTi (M9T 136, 163) 10.14> Euro 5b+ (Bi- Turbo)	0500.7632	4441	QP/TM13, 15, Without PTO		✔		60	*	
	Movano FWD 2.3 dCi (M9T 110, 130, 145, 165, 170) 09.16> Euro 6 (Single & Bi-Turbo)	0500.7642	4441	QP/TM13,15	✔	✔		60	*	
	Movano FWD 2.3 dCi (M9T 110, 130, 145, 165, 170) 09.16> Euro 6 (Single & Bi-Turbo)	0500.7932	3200	QP/TM13,15 SD5H14, SD7H15	✔	✔	✔	120	*	
	Movano FWD 2.3 dCi (M9T 110, 130, 145, 165, 170) 09.16> Euro 6 (Single & Bi-Turbo)	0500.7942	4200	QP/TM13,15 SD5H14, SD7H15	✔	✔	✔	120	*	
	Movano RWD 2.3 CDTi (M9T 125, 136, 163) 10.14> Euro 5 / 5b+ / Euro 6	0500.7512	3200	QP/TM13,15,16, Without PTO	✔	✔	✔	60	*	
	Movano RWD 2.3 CDTi (M9T 125, 136, 163) 10.14> Euro 5 / 5b+ / Euro 6	0500.7652	4200	QP/TM13,15,16, Without PTO	✔	✔	✔	60	*	**

*Transport refrigeration applications: Compressor speed 134A < 5000 RPM MAX 407A, R410A, 452A < 4000 RPM MAX
**AC systems applications: Compressor speed 134A/1234YF <3500 RPM to > 5500 RPM MAX
***(AC compressor replaced by refrigeration compressor)

CMK 02.2019

Techni
ENGINEERING SOLUTIONS

Make	Model	Part No.	Max Comp RPM	Technical notes	Euro 6	-AC	+AC	Fitting Time (Mins)	See Footnote	
PEUGEOT	Bipper HDi 75 1.3 (F13DTE5) 10.10> Euro 5	0500.6792	3925	QP/TM13		✔		90	*	
	Partner 1.6 HDi (DV6) 01.07>04.08 Euro 4	0500.6772	5143	QP/TM13,15		✔		60		**
	Partner 1.6 HDi (DV6) 04.08> Euro 5	0500.6772	5109	QP/TM13,15	✔	✔		60		**
	Partner 1.6 Blue HDi (DV6) 09.16> Euro 6	0500.8442	5109	QP/TM13,15	✔	✔		60	*	
	Partner 1.6 e-HDi (DV6) 01.12> Euro 5 / 6	0500.6542	4671	QP/TM15		✔		60	*	
Available : TBC	New Partner Blue Hdi 1.6 75/100 (DV6) 10.18> Euro 6	TBC	-	QP/TM13,15	✔	✔		-	*	
Available : TBC	New Partner Blue Hdi 1.5 130 (DV5) 10.18> Euro 6, Manual Gearbox	TBC	-	QP/TM13,15	✔	✔		-	*	
Available : TBC	New Partner Blue Hdi 1.5 130 (DV5) 10.18> Euro 6, EAT8 Auto Gearbox	TBC	-	-	✔	✔		-	*	
	Expert 1.6 HDi (DV6) 01.07>10.11 Euro 4	0500.6772	5109	QP/TM13,15		✔		60		**
	Expert 1.6 HDi (DV6C/D) 10.11>09.16 Euro 5	0500.6772	5109	QP/TM13,15	✔	✔		60	*	
	Expert 1.6 Blue HDi (DV6FDU/FCU) 09.16> Euro 6	0500.8442	5109	QP/TM13,15 Not suitable for TEG6 Gearbox	✔	✔		60		**
	Expert 2.0 HDi (DW10) 01.07>01.12 Euro 4	0500.3642	5143	QP/TM13,15,16		✔		60		**
	Expert 2.0 HDi (DW10C) 12.11> Euro 5	0500.6452	4790	QP/TM13,15		✔		60	*	**
	Expert 2.0 HDi (DW10C) 12.11> Euro 5	0500.6522	4100	QP/TM13,15		✔		60	*	
	Expert 2.0 Blue HDi (DW10C) 12.11> Euro 6	0500.8482	4837	QP/TM15 Only suitable for vehicles with Stop Start	✔	✔		60	*	**
	Expert 2.0 Blue HDi (DW10C) 12.11> Euro 6	0500.8492	4837	QP/TM15 Only suitable for vehicles without Stop Start	✔	✔		60	*	**
	Boxer 2.2 HDi (22DT) 07.06>11.11 Euro 4	0500.3672	4705	QP/TM13,15,		✔		90	*	**
	Boxer 2.2 HDi (Puma 4H6/HH/HJ) 11.11> Euro 5	0500.6432	4705	QP/TM13,15		✔		90	*	**
	Boxer 2.2 HDi (Puma 4H6/HH/HJ) 11.11> Euro 5	0500.7752	3500	QP/TM13, 15, 16			✔	120	*	
	Boxer 2.0 HDi (DW10FUE/D/C) (KW6/ KX6/KY6/ KXK/ KYK) 08.16> Euro 6	0500.8302	4970	QP/TM13, 15	✔	✔		60	*	
	Boxer 2.0 HDi (DW10FUE/D/C) (KW6/ KX6/KY6/ KXK/ KYK) 08.16> Euro 6	0500.8322	3780	QP/TM13, 15 SD7H15	✔		✔	120	*	**
	Boxer 2.0 HDi (DW10FUE/D/C) (KW6/ KX6/KY6/ KXK/ KYK) 08.16> Euro 6	0500.8532	4480	QP/TM13, 15 SD7H15	✔		✔	120		**
	Boxer 3.0L HDI (F1C) 08.14> Euro 5b+/ EEV Euro 6 + CNG / Bi Valent	0500.6962	4050	QP/TM13, 15, 16	✔	✔	✔	150	*	

*Transport refrigeration applications: Compressor speed 134A < 5000 RPM MAX 407A, R410A, 452A < 4000 RPM MAX
**AC systems applications: Compressor speed 134A/1234YF <3500 RPM to > 5500 RPM MAX
***(AC compressor replaced by refrigeration compressor)

Compressor Mount Kit - CMK 29

Techni
ENGINEERING SOLUTIONS

Make	Model	Part No.	Max Comp RPM	Technical notes	Euro 6	-AC	+AC	Fitting Time (Mins)	See Footnote	
RENAULT	Kangoo 1.5 dCi (K9K M7/M7S/M8/M8S/M6) 2012> Euro 5 / 6	0500.6782	4800	QP/TM15 Direct	✔	✔		120	*	
	New Trafic 1.6 dCi 16v (R9M) 10.14> Euro 5b+ / Euro 6	0500.7612	3600	QP/TM13,15 With PTO	✔	✔	✔	40 & 60	*	
	New Trafic 1.6 dCi 16v (R9M) 10.14> Euro 5b+ / Euro 6	0500.7622	3600	QP/TM13,15 Without PTO	✔	✔	✔	70 & 90	*	
	New Trafic 1.6 dCi 16v (R9M) 10.14> Euro 5b+ / Euro 6	0500.7922	4600	QP/TM13,15 With or Without PTO	✔	✔		60	*	
	Trafic II 2.0 dCi (M9R 780) 07.06>10.09 Euro 4	0500.3512	4441	QP/TM13,15, SD5H14, SD5H15		✔		45	*	**
	Trafic II 2.5 dCi (G9U 630) 07.06>10.09 Euro 4	0500.3802	4350	QP/TM13,15,16		✔		30	*	**
	Trafic III 2.0 dCi (M9R 115) 10.09> Euro 5	0500.6492	4350	QP/TM13,15		✔		45	*	**
	Trafic III 2.0 dCi (M9R 115) 10.09> Euro 5	0500.7032	4441	SD5H14, SD7H15		✔		45	*	**
	Master II 2.5 dCi (G9U 650, 632) 09.06>04.10 Euro 4	0500.3542	4350	QP/TM13,15,16, Without PTO		✔		60	*	**
	Master FWD 2.3 dCi (M9T 100, 125, 150) 06.10>10.14 Euro 5	0500.4372	4441	QP/TM13, 15		✔		45	*	
	Master FWD 2.3 dCi (M9T 100, 125, 150) 06.10>10.14 Euro 5	0500.6902	3200	QP/TM13,15, 16, SD7H15, SP15 With & Without PTO		✔	✔	60	*	
	Master FWD 2.3 dCi (M9T 100, 125, 150) 06.10>10.14 Euro 5	0500.7132	4200	QP/TM13,15, 16, SD7H15, SP15 With & Without PTO		✔	✔	60	*	**
	Master FWD 2.3 dCi (M9T 110, 125) 10.14>09.16 Euro 5b+ (Single Turbo)	0500.4372	4441	QP/TM13, 15 With PTO		✔		45	*	
	Master FWD 2.3 dCi (M9T 110, 125) 10.14> 09.16 Euro 5b+ (Single Turbo)	0500.6902	3200	QP/TM13,15, 16, SD7H15, SP15 With & Without PTO		✔	✔	60	*	
	Master FWD 2.3 dCi (M9T 110, 125) 10.14> 09.16 Euro 5b+ (Single Turbo)	0500.7132	4200	QP/TM13,15, 16, SD7H15, SP15 With & Without PTO		✔	✔	60	*	**
	Master FWD 2.3 dCi (M9T 135, 165) 10.14> 09.16 Euro 5b+ (Bi-Turbo)	0500.7632	4441	QP/TM13, 15, Without PTO		✔		60	*	
	Master FWD 2.3 dCi (M9T 110, 130, 145, 165, 170) 09.16> Euro 6 (Single & Bi-Turbo)	0500.7642	4441	QP/TM13,15	✔	✔		60	*	
	Master FWD 2.3 dCi (M9T 110, 130, 145, 165, 170) 09.16> Euro 6 (Single & Bi-Turbo)	0500.7932	3200	QP/TM13,15 SD5H14, SD7H15	✔	✔	✔	120	*	
	Master FWD 2.3 dCi (M9T 110, 130, 145, 165, 170) 09.16> Euro 6 (Single & Bi-Turbo)	0500.7942	4200	QP/TM13,15 SD5H14, SD7H15	✔	✔	✔	120	*	
	Master RWD 2.3 dCi (M9T 125, 135, 165) 10.14> Euro 5 / 5b+ / E6	0500.7512	3200	QP/TM13,15,16, Without PTO	✔	✔	✔	60	*	
	Master RWD 2.3 dCi (M9T 125, 135, 165) 10.14> Euro 5 / 5b+ / E6	0500.7652	4200	QP/TM13,15,16, Without PTO	✔	✔	✔	60	*	**
	D - Distribution 5.1 210 / 240 (D5K) 09.13> Euro 6	0500.7492	3380	QP/TM13,15,16	✔	✔	✔	120	*	
	D - Distribution 5.1 210 / 240 (D5K) 09.13> Euro 6	0500.7502	3380	QP/TM21	✔	✔	✔	120	*	
	D - Distribution 7.7 250 / 280 (D8K) 09.13> Euro 6	0500.7492	3380	QP/TM13,15,16	✔	✔	✔	120	*	
	D - Distribution 7.7 250 / 280 (D8K) 09.13> Euro 6	0500.7502	3380	QP/TM21	✔	✔	✔	120	*	
TOYOTA	ProAce 1.6 Blue HDi 75/95/100/115 09.16> Euro 6	0500.8442	5109	QP/TM15 Not suitable for TEG6 Gearbox	✔	✔		120	*	
	ProAce 2.0 Blue HDi 120/150/180 09.16> Euro 6	0500.8482	4837	QP/TM15 Only suitable for vehicles with Stop Start	✔	✔		60	*	**
	ProAce 2.0 Blue HDi 75/95/100/115 09.16> Euro 6	0500.8492	4837	QP/TM15 Only suitable for vehicles without Stop Start	✔	✔		60	*	**

*Transport refrigeration applications: Compressor speed 134A < 5000 RPM MAX 407A, R410A, 452A < 4000 RPM MAX
**AC systems applications: Compressor speed 134A/1234YF <3500 RPM to > 5500 RPM MAX
***(AC compressor replaced by refrigeration compressor)

CMK 02.2019

Techni
ENGINEERING SOLUTIONS

Make	Model	Part No.	Max Comp RPM	Technical notes	Euro 6	-AC	+AC	Fitting Time (Mins)	See Footnote	
	Combo 1.3L CDTi 16v (SDE 263A2000) 08.11> Euro 5	0500.6162	3925	QP/TM13		✔		60	*	
	Facelifted Combo 1.3L CDTi 16v (SDE 330A1000) 10.14> Euro 5b+	0500.6162	3925	QP/TM13		✔		60	*	
	Combo 1.3L Multijet II 16v (SDE 263A2000) 08.16> Euro 6	0500.8392	3425	QP/TM13	✔	✔		60	*	
	Combo 1.6L CDTi 16v (SDE 198A3000) 08.11> 2015MY Euro 5	0500.6502	4125	QP/TM13,15		✔		60	*	
	Combo 1.6L CDTi 16v (SDE STET) 08.11> Euro 5 *LHD Only	0500.7292	3900	QP/TM13,15			✔	240	*	
	Combo 1.6L CDTi 16v (SDE 198A3000) 2015> Euro 5	0500.7662	4125	QP/TM13,15		✔		60	*	
	Facelifted Combo 1.6L CDTi 16v (SDE 198A3000) 08.11> Euro 5 *RHD Only	0500.7782	3900	QP/TM13,15			✔	240	*	
	Combo 1.6L Multijet II 16v (SDE 263A8000) 08.16> Euro 6	0500.8332	4125	QP/TM13	✔	✔		60	*	
	Combo 1.6L Multijet II 16v (SDE 263A8000) 08.16> Euro 6 *LHD Only	0500.8362	3900	QP/TM13,15 (Independent belt run)	✔	✔		150	*	
	Combo 1.6L Multijet II 16v (SDE 263A8000) 08.16> Euro 6	0500.8752	3900	QP/TM13,15	✔		✔	300	*	
Available : TBC	New Combo Turbo D 1.6 75/100 (DV6) 10.18> Euro 6	TBC	-	QP/TM13,15	✔	✔		-	*	
Available : TBC	New Combo BlueInjection 1.5 130 (DV5) 10.18> Euro 6, Manual Gearbox	TBC	-	QP/TM13,15	✔	✔		-	*	
Available : TBC	New Combo BlueInjection 1.5 130 (DV5) 10.18> Euro 6, EAT8 Auto Gearbox	TBC	-	-	✔	✔		-	*	
	New Vivaro 1.6 CDTi 16v (R9M) 10.14> Euro 5b+/6	0500.7612	3600	QP/TM13,15,16	✔	✔	✔	40 & 60	*	
	New Vivaro 1.6 CDTI (R9M 408/450) (-PTO) 10.14> Euro 5b+/6	0500.7622	3600	QP/TM13/15 Without PTO	✔	✔	✔	70 & 90	*	
	New Vivaro 1.6 CDTI (R9M 408/450) (+/-PTO) 10.14> Euro 5b+/6	0500.7922	4600	QP/TM13/15, With & Without PTO	✔	✔		60	*	
	Vivaro 2.0 CDTi (M9R 115) 10.09>10.14 Euro 5	0500.6492	4441	QP/TM13,15, 16, SD5H15, SP15		✔		45	*	**
	Vivaro 2.0 CDTi (M9R 115) 10.09>10.14 Euro 5	0500.7032	4441	SD5H14, SD7H15		✔		45	*	**
	Vivaro 2.5 CDTi (G9U 630) 07.06>10.09 Euro 4	0500.3802	4350	QP TM13,15,16		✔		30	*	**
	Movano FWD 2.3 CDTi (M9T 100, 125, 146) 06.10>10.14 Euro 5	0500.4372	4441	QP/TM13, 15 With PTO		✔		45	*	
	Movano FWD 2.3 CDTi (M9T 100, 125, 146) 06.10>10.14 Euro 5	0500.6902	3200	QP/TM13,15, 16, SD5H14, SD7H15, SP15 With & Without PTO		✔	✔	60	*	
	Movano FWD 2.3 CDTi (M9T 100, 125, 146) 06.10>10.14 Euro 5	0500.7132	4200	QP/TM13,15, 16, SD5H14, SD7H15, SP15 With & Without PTO		✔	✔	60	*	**
	Movano FWD 2.3 CDTi (M9T 110, 125) 10.14> Euro 5b+ (Single Turbo)	0500.4372	4441	QP/TM13, 15 With PTO		✔		45	*	
	Movano FWD 2.3 CDTi (M9T 110, 125) 10.14> Euro 5b+ (Single Turbo)	0500.6902	3200	QP/TM13,15, 16, SD5H14, SD7H15, SP15 With/Without PTO		✔	✔	60	*	
	Movano FWD 2.3 CDTi (M9T 110, 125) 10.14> Euro 5b+ (Single Turbo)	0500.7132	4200	QP/TM13,15, 16, SD5H14, SD7H15, SP15 With/Without PTO		✔	✔	60	*	**
	Movano FWD 2.3 CDTi (M9T 136, 163) 10.14> Euro 5b+ (Bi- Turbo)	0500.7632	4441	QP/TM13, 15, Without PTO		✔		60	*	
	Movano FWD 2.3 dCi (M9T 110, 130, 145, 165, 170) 09.16> Euro 6 (Single & Bi-Turbo)	0500.7642	4441	QP/TM13,15	✔	✔		60	*	
	Movano FWD 2.3 dCi (M9T 110, 130, 145, 165, 170) 09.16> Euro 6 (Single & Bi-Turbo)	0500.7932	3200	QP/TM13,15 SD5H14, SD7H15	✔	✔	✔	120	*	
	Movano FWD 2.3 dCi (M9T 110, 130, 145, 165, 170) 09.16> Euro 6 (Single & Bi-Turbo)	0500.7942	4200	QP/TM13,15 SD5H14, SD7H15	✔	✔	✔	120	*	
	Movano RWD 2.3 CDTi (M9T 125, 136, 163) 10.14> Euro 5 / 5b+ / Euro 6	0500.7512	3200	QP/TM13,15,16, Without PTO	✔	✔	✔	60	*	
	Movano RWD 2.3 CDTi (M9T 125, 136, 163) 10.14> Euro 5 / 5b+ / Euro 6	0500.7652	4200	QP/TM13,15,16, Without PTO	✔	✔	✔	60	*	**

*Transport refrigeration applications: Compressor speed 134A < 5000 RPM MAX 407A, R410A, 452A < 4000 RPM MAX
**AC systems applications: Compressor speed 134A/1234YF <3500 RPM to > 5500 RPM MAX
***(AC compressor replaced by refrigeration compressor)

CMK 02.2019

Techni
ENGINEERING SOLUTIONS

Make	Model	Part No.	Max Comp RPM	Technical notes	Euro 6	-AC	+AC	Fitting Time (Mins)	See Footnote	
	Caddy C20 / C20+ / Maxi 1.6 TDI (CAYE, CAYD) 10.10>05.15 Euro 5	0500.6112	4350	QP/TM15 Direct		✔		40	*	
	Caddy C20 / C20+ / Maxi 2.0 TDI (CFJA, CFHC, CLCB) 10.10> 05.15 Euro 5	0500.6112	4350	QP/TM15 Direct		✔		40	*	
	Caddy Mk IV 2.0 TDI 05.2015> Euro 6	0500.8052	4350	QP/TM15 Direct	✔	✔		60	*	
	Transporter T5 2.0 TDI (CAAA, CAAB, CCHB, CAAE, CAAC, CCHA, CFCA) 10.10>10.15 Euro 5	0500.6242	4083	QP/TM15 Direct		✔		30	*	
	Transporter T6 2.0 TDI (CXEB, CXFA, CXGA, CXGB, CXHA) 10.15> Euro 6	0500.8002	4083	QP/TM15 Direct	✔	✔		30	*	
	Transporter T6 2.0 TDI (CAAA 84PS, CAAB 102PS, CAAC 140PS, CFCA 180PS) 10.15> Euro 5b+	0500.8012	4083	QP/TM15 Direct		✔		30	*	
	Transporter T6 2.0 TDI (CXFA, CXGA, CXGB, CXHA) 10.15> Euro 6	0500.8022	3850	QP/TM13,15 *** Not suitable for CXEB 150kW version	✔		✔	270	*	**
	Crafter 2.0 TDI (CKTB, CKTC, CKUC, CKUB) 10.10> Euro 5 / 6	0500.6222	3200	QP/TM15 Direct	✔	✔		40	*	
	Crafter 2.0 TDI (CKTB, CKTC, CKUC, CKUB) 10.10> Euro 5 / 6	0500.6272	4175	QP/TM15 Direct	✔	✔		40	*	**
	Crafter 2.0 TDI (CKTB, CKTC, CKUC, CKUB) 10.10> Euro 5 / 6	0500.6282	4175	QP/TM16 Direct	✔	✔	✔	40	*	**
	Crafter 2.0 TDI (CKTB, CKTC, CKUC, CKUB) 10.10> Euro 5 / 6	0500.7422	3500	QP/TM13,15,16, SD7H15. For PV8	✔	✔	✔	60	*	
	Crafter 2.0 TDI (CKTB, CKTC, CKUC, CKUB) 10.10> Euro 5 / 6	0500.7432	4500	QP/TM13,15,16, SD7H15. For PV8	✔	✔	✔	60	*	**
	Crafter 2.0 TDI (CKTB, CKTC, CKUC, CKUB) 10.10> Euro 5 / 6	0500.7572	3500	QP/TM13,15,16. VW 2015 compliant. PV6 Belt & Clutch	✔	✔	✔	60	*	
	Crafter 2.0 TDI (CKTB, CKTC, CKUC, CKUB) 10.10> Euro 5 / 6	0500.7602	4375	QP/TM13,15,16. VW 2015 compliant. PV6 Belt & Clutch	✔	✔	✔	60	*	**
	New Crafter 2.0 TDI FWD CR30, CR35, 2017> Euro 6	0500.8662	3800/4200	QP/TM13,15,16, SD7H15	✔	✔		45	*	**
	New Crafter 2.0 TDI FWD/4 Motion CR30, CR35, 2017> Euro 6	0500.8572	3588/3690	QP/TM13,15,16, SD7H15	✔		✔	180	*	**
	New Crafter 2.0 TDI RWD/4 Motion CR30, CR35, 2017> Euro 6	0500.8672	3800/4200	QP/TM13,15,16, SD7H15	✔	✔		60	*	**
Available: March 2018	New Crafter 2.0 TDI RWD/4 Motion CR30, CR35, 2017> Euro 6	0500.8862	3690	QP/TM13,15,16, SD7H15	✔		✔	TBC	*	**
Available: March 2018	New Crafter 2.0 TDI RWD/4 Motion CR30, CR35, 2017> Euro 6	0500.8872	4613	QP/TM13,15,16, SD7H15	✔		✔	TBC	*	**
Available: March 2018	New Crafter 2.0 TDI RWD/4 Motion CR30, CR35, 2017> Euro 6	0500.8982	4036	QP/TM21	✔	✔	✔	90	*	**
	FL 5.1 210 / 240 (D5K) 09.13> Euro 6	0500.7492	3380	QP/TM13,15,16	✔	✔	✔	120	*	
	FL 5.1 210 / 240 (D5K) 09.13> Euro 6	0500.7502	3380	QP/TM21	✔	✔	✔	120	*	
	FL 7.7 250 / 280 (D8K) 09.13> Euro 6	0500.7492	3380	QP/TM13,15,16	✔	✔	✔	120	*	
	FL 7.7 250 / 280 (D8K) 09.13> Euro 6	0500.7502	3380	QP/TM21	✔	✔	✔	120	*	

*Transport refrigeration applications: Compressor speed 134A < 5000 RPM MAX 407A, R410A, 452A < 4000 RPM MAX
**AC systems applications: Compressor speed 134A/1234YF <3500 RPM to > 5500 RPM MAX
***(AC compressor replaced by refrigeration compressor)

Techni
ENGINEERING SOLUTIONS

Make	Model	Part No.	Max Comp RPM	Technical notes	Euro 6	-AC	+AC	Fitting Time (Mins)	See Footnote	
RAM	Promaster 3.0L I4 Diesel 08.14>	0500.7862	3820	1 x QP/TM13, 15, 16, SD7H15	-		✔	150	*	**
	Promaster 3.6L V6 Gas 08.14>	0500.8782	5915	1 x QP/TM13, 15, 16, SD7H15	-		✔	150		**

Make	Model	Part No.	Max Comp RPM	Technical notes	Euro 6	-AC	+AC	Fitting Time (Mins)	See Footnote	
Ford	Transit 3.5L EcoBoost (Gas) V6 2014>	0500.8582	6000	1 x QP/TM13, 15, 16, SD7H15	-	✔	✔	150		**
	Transit 3.7L Ti Vct (Gas) V6 2014>	0500.8592	6000	1 x QP/TM13, 15, 16, SD7H15	-	✔	✔	150		**
	E Series Van/Cutaway 5.4L - V8 / 6.8L - V10 Gas Single Alternator 2011>	0500.8152	7315	1 x QP/TM16, 21, Direct Mount	-	✔	✔	60		**
	F250-550 6.7 Power Stroke V8 Turbo Diesel (Dual Alternators) 02.11>2015MY	0500.6922	4400	1 x QP/TM16, 21, Direct Mount	-	✔	✔	180	*	**
	F250-550 6.7 Power Stroke V8 Turbo Diesel (Single Alternator) 2010>08.17	0500.7152	4400	1 x QP/TM16, 21, Direct Mount	-	✔	✔	180	*	**
	F250-550 6.7 Power Stroke V8 Turbo Diesel (Dual Alternators) 10.14>08.17	0500.7982	4400	1 x QP/TM16, 21, Direct Mount (Crank Pulley Change)	-	✔	✔	180	*	**
	F250-550 6.7 Power Stroke V8 Turbo Diesel (Dual Alternators) 2017MY>08.17	0500.8472	4400	1 x QP/TM16, 21, Direct Mount (PAS Pump Change)	-	✔	✔	180	*	**
	F250-550 6.7 Power Stroke V8 Turbo Diesel (Single Alternator) 08.17>	0500.8512	4400	1 x QP/TM16, 21, Direct Mount (Fan Hub Change)	-	✔	✔	180	*	**
	F250-550 6.7 Power Stroke V8 Turbo Diesel (Dual Alternators) 08.17>	0500.8682	4400	1 x QP/TM16, 21, Direct Mount (Fan Hub Change)	-	✔	✔	180	*	**
Available: February 2019	F250-550 6.7 Power Stroke V8 Turbo Diesel (Dual Alternators) 08.17>	0500.8142	4400	2 x QP/TM16, 21 Direct Mount	-	✔	✔	300	*	**

Make	Model	Part No.	Max Comp RPM	Technical notes	Euro 6	-AC	+AC	Fitting Time (Mins)	See Footnote	
FREIGHTLINER	Sprinter (906) 2.1 CDI / BlueTEC (OM651) Euro 5b+ / 6, 10.13>	0500.7732	4695	1 x QP/TM13,15,16, SD5H14, SD7H15 - With LBS	✔	✔	✔	40	*	**
	Sprinter (906) 2.1 CDI / BlueTEC (OM651) Euro 5b+ / 6, 10.13>	0500.7742	4695	1 x QP/TM13,15,16, SD5H14, SD7H15 - Without LBS	✔	✔	✔	120	*	**
	Sprinter (906) 3.0 V6 BlueTEC (OM642) Euro 6, 10.13>	0500.7702	4695	1 x QP/TM13,15,16, SD5H14, SD7H15 - With LBS	✔	✔	✔	40	*	**
	Sprinter (906) 3.0 V6 BlueTEC (OM642) Euro 6, 10.13>	0500.6952	4965	1 x QP/TM13,15,16, SD5H14, SD7H15 - Without LBS	✔	✔	✔	45	*	**
Available: May 2019	M2 Cummins ISB 6.7L 2017 Emissions, MY 2019	0500.8792	TBC	2 x QP/TM16, 21, Direct Mount	-		✔	TBC	*	**
	S2C Cummins ISB 6.7L 2017 Emissions, MY 2019	0500.8812	TBC	2 x QP/TM16, 21, Direct Mount	-		✔	TBC	*	**

Make	Model	Part No.	Max Comp RPM	Technical notes	Euro 6	-AC	+AC	Fitting Time (Mins)	See Footnote	
GM CHEVROLET										
Available: March 2019	Chevy Van/Cutaway 6.0L V8 Gas, Denso 220 Amp Alternator, 2016>	0500.8132	TBC	1 x QP/TM16, 21, Direct Mount	-		✔	TBC	*	**

Make	Model	Part No.	Max Comp RPM	Technical notes	Euro 6	-AC	+AC	Fitting Time (Mins)	See Footnote	
INTERNATIONAL										
Available: March 2019	CE Cummins ISB 6.7L, 2 x TM21 Compressors, 2010>	0500.9072	TBC	1 x QP/TM16, 21 or 2x QP/TM16, 21, Direct Mount	-	✔	✔	TBC	*	**

*Transport refrigeration applications: Compressor speed 134A < 5000 RPM MAX 407A, R410A, 452A < 4000 RPM MAX
**AC systems applications: Compressor speed 134A/1234YF <3500 RPM to > 5500 RPM MAX
***(AC compressor replaced by refrigeration compressor)

Techni
ENGINEERING SOLUTIONS

Make	Model	Part No.	Max Comp RPM	Technical notes	Euro 6	-AC	+AC	Fitting Time (Mins)	See Footnote	
ISUZU										
Available: April 2019	NPR / EcoMax 4JJ1 E6 3.0L, 04.14>	0500.7872	TBC	1 x QP/TM13, 15, 16	-		✔	TBC	*	**
Available: May 2019	NPR-HD 4HK1 E6 5.2L, 04.14>	0500.7812	TBC	1 x QP/TM13, 15, 16	-		✔	TBC	*	**
	NPR-HD 4HK1 E6 5.2L, 04.14>	0500.7822	TBC	1 x QP/TM16, 21, Direct Mount	-		✔	TBC	*	**

Make	Model	Part No.	Max Comp RPM	Technical notes	Euro 6	-AC	+AC	Fitting Time (Mins)	See Footnote	
Mercedes-Benz	Sprinter (906) 2.1 CDI / BlueTEC (OM651) Euro 5b+ / 6, 10.13>	0500.7732	4695	1 x QP/TM13,15,16, SD5H14, SD7H15 - With LBS	-	✔	✔	40	*	**
	Sprinter (906) 2.1 CDI / BlueTEC (OM651) Euro 5b+ / 6, 10.13>	0500.7742	4695	1 x QP/TM13,15,16, SD5H14, SD7H15 - Without LBS	-	✔	✔	120	*	**
	Sprinter (906) 3.0 V6 BlueTEC (OM642) Euro 6, 10.13>	0500.7702	4695	1 x QP/TM13,15,16, SD5H14, SD7H15 - With LBS	-	✔	✔	40	*	**
	Sprinter (906) 3.0 V6 BlueTEC (OM642) Euro 6, 10.13>	0500.6952	4965	1 x QP/TM13,15,16, SD5H14, SD7H15 - Without LBS	-	✔	✔	45	*	**

Make	Model	Part No.	Max Comp RPM	Technical notes	Euro 6	-AC	+AC	Fitting Time (Mins)	See Footnote	
MITSUBISHI FUSO										
Available: May 2019	Fuso Canter FE 3.0 4P10-T2/T3/T6 (+/- AC), 01.12>	0500.7182	TBC	1 x QP/TM13, 15, 16	-		✔	TBC	*	**
	Fuso Canter FE 3.0 4P10-T2/T3/T6 (+/- AC), 01.12>	0500.7172	TBC	1 x QP/TM16, 21, Direct Mount	-		✔	TBC	*	**

Make	Model	Part No.	Max Comp RPM	Technical notes	Euro 6	-AC	+AC	Fitting Time (Mins)	See Footnote	
Thomas BUILT BUSES										
Available: TBC	C2 Cummins ISB 6.7L, 2 x TM21 Compressors, 2010>	0500.8942	TBC	2 x QP/TM16, 21, Direct Mount	-		✔	TBC	*	**

*Transport refrigeration applications: Compressor speed 134A < 5000 RPM MAX 407A, R410A, 452A < 4000 RPM MAX
**AC systems applications: Compressor speed 134A/1234YF <3500 RPM to > 5500 RPM MAX
***(AC compressor replaced by refrigeration compressor)

Techni
ENGINEERING SOLUTIONS

*Transport refrigeration applications: Compressor speed 134A < 5000 RPM MAX 407A, R410A, 452A < 4000 RPM MAX
**AC systems applications: Compressor speed 134A/1234YF <3500 RPM to > 5500 RPM MAX
***(AC compressor replaced by refrigeration compressor)

CMK 02.2019

EN)
Techni focuses on constant upgrading of its products. The Manufacturer reserves the right to modify the models and components described in the present publication at any time for technical or commercial reasons and without prior notice. For further information, contact Techni technical services.

(DE)
Techni ist stets bestrebt die eigenen Produkte zu verbessern. Die Herstellerfirma behält sich das Recht vor, aus technischen oder Verkaufsgründen, zu jeder Zeit und ohne vorherige Ankündigung, Abänderungen an den Modellen und den in dieser Veröffentlichung beschriebenen Einbauteile vorzunehmen. Für weitere Informationen bitten wir Sie, sich an unseren Techni Kundendienst zu wenden.

(FR)
Techni vise à une amélioration constante des ces produits. La maison se réserve le droit d'apporter, à tout mo-ment et sans préavis, des modifications aux modèles et aux composants décrits dans cette publication pour des raisons d'ordre technique ou commerciale. Pour d'ultérieures informations s'adresser au service d'assistance Techni.

(IT)
Techni mira ad un costante miglioramento dei propri prodotti. La Casa si riserva il diritto di apportare in qua-lunque momento e senza preavviso modifiche ai modelli e ai componenti descritti in questa pubblicazione per ragioni di natura tecnica o commerciale. Per ulteriori informazioni rivolgersi al servizio assistenza Techni.

(ES)
Techni aspira a un constante mejoramiento de su producción. La Fábrica se reserva el derecho de aportar en cualquier momento y sin preaviso modificaciones a los modelos y los componentes descritos en esta publicación por razones técnicas o comerciales. Para ulteriores informaciones dirigirse al servicio asistencia Techni.

Techni
ENGINEERING SOLUTIONS

Sundorne Trade Park, Henley Way,
Shrewsbury, United Kingdom, SY1 4NS
Telephone: (+44) (0) 1743 443176
Fax: (+44) (0) 1743 443113
Email: sales@techni.co.uk

Techni USA LLC
6546 Corporate Drive,
Indiana, Indianapolis,
IN46278,USA
Telephone: (470) 685 5841
(317) 672 3364

Disclaimer: The information contained in this document is for guidelines only. No liability can be accepted for damage or loss caused by errors and omissions in the information given. Always refer to the website www.techni.co.uk for the most up to date information on Techni compressor mount kits and model applications before an informed choice and decision is made.

© COPYRIGHT TECHNI LTD 2019

February 2019